

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.nispto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/050,848	01/18/2002	Norman G. Anderson	2315-148	3044	
	7590 07/30/2002	IDECK DC			
ROTHWELL, FIGG, ERNST & MANBECK, P.C. 1425 K STREET, N.W. SUITE 800			EXAM	EXAMINER	
			LU, FRANK WEI MIN		
WASHINGIO	N, DC 20005		ART UNIT	PAPER NUMBER	
			1634	0	
		DATE MAILED: 07/30/2002			

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary						
		10/050,848	Anderson, N.			
		Examiner Frank Lu	Art Unit			
	- The MAILING DATE of this communication app		1634 correspondence address			
Period fo						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status						
1)	Responsive to communication(s) filed on	·				
2a)[This action is FINAL . 2b) This	s action is non-final.				
3)	Since this application is in condition for allowa					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims						
,	Claim(s) <u>1-55</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
	6) Claim(s) is/are rejected.					
	Claim(s) is/are objected to.					
8) Claim(s) <u>1-55</u> are subject to restriction and/or election requirement. Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
 Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.						
Attachment(s)						
1) Notice	e of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152) ction .			

Art Unit: 1634

DETAILED ACTION

Location of Application

1. The Art Unit location of your application in the PTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 1634.

Election/Restriction

- 2. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - Claims 1-17, drawn to an ultracentrifuge tube, classified in class 422, subclass
 102.
 - II. Claims 18-55, drawn to an ultracentrifuge tube, classified in class 422, subclass102.
- 3. The inventions are distinct, each from the other because of the following reasons:

Groups I and II are distinct and independent inventions in that they are directed to different products. As a result, different and distinct searches will have to be performed. For example, the search required for Group I such as an centrifuge tube wherein inner diameter is small enough to trap an air bubble between two layers of aqueous liquid of claim 1 is not required for Group II.

4. Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Group II (for reason, see above), restriction for examination purposes as indicated is proper.

Art Unit: 1634

- 5. This application contains claims directed to the following patentably distinct species of the claimed invention:
- (1) a centrifuge tube at velocities high enough to band virus (claims 6, 25, and 44)
- (1) a centrifuge tube at velocities high enough to band mycoplasmas (claims 7, 26, and 45)
- (2) a centrifuge tube at velocities high enough to band rickettsia (claims 8, 27, and 46)
- (3) a centrifuge tube at velocities high enough to band yeast (claims 9, 28, and 47)
- (4) a centrifuge tube at velocities high enough to band bacteria (claims 10, 29, and 48)

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, generic claims are claims 1-5, 11-24, 30-43, and 49-55.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to

Art Unit: 1634

Application/Control Number: 10/050,848

be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

- 6. This application contains claims directed to the following patentably distinct species of the claimed invention:
- (1) the ultracentrifuge tube wherein its upper region, middle region and lower region have outer diameters equal to each other (claims 12, 31, and 50);
- (2) the ultracentrifuge tube wherein its upper region have outer diameter larger than an outerdiameter of lower region (claims 13, 32, and 51)

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, generic claims are claims are claims 1-11, 14-30, 33-49, and 52-56.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Page 5

Art Unit: 1634

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

- 7. This application contains claims directed to the following patentably distinct species of the claimed invention:
- (1) lower region of a centrifuge tube is smaller than 0.25 inch (claims 2, 21, and 40)
- (2) lower region of a centrifuge tube is smaller than 0.1 inch (claims 14, 33, and 52)
- (3) lower region of a centrifuge tube is in the range 0.08-0.1 inch (claims 15, 34, and 53)
- (4) lower region of a centrifuge tube is in the range 0.039-0.08 inch (claims 16, 35, and 54)
- (5) lower region of a centrifuge tube is 0.064 inch (claims 17, 36, and 55)

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, generic claims are claims 1, 3-13, 18-20, 22-32, 37-39, and 41-51.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the

Page 6

Art Unit: 1634

limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

5. Papers related to this application may be submitted to Group 1600 by facsimile transmission. Papers should be faxed to Group 1600 via the PTO Fax Center located in Crystal Mall 1. The faxing of such papers must conform with the notices published in the Official Gazette, 1096 OG 30 (November 15, 1988), 1156 OG 61 (November 16, 1993), and 1157 OG 94 (December 28, 1993)(See 37 CAR § 1.6(d)). The CM Fax Center number is either (703) 308-4242 or (703)305-3014.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank Lu, Ph.D., whose telephone number is (703) 305-1270. The examiner can normally be reached on Monday-Friday from 9 A.M. to 5 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, W. Gary Jones, can be reached on (703) 308-1152.

Page 7

Art Unit: 1634

Any inquiry of a general nature or relating to the status of this application should be directed to the patent Analyst of the Art Unit, Ms. Chantae Dessau, whose telephone number is (703) 605-1237.

Frank Lu

July 26, 2002